ORIGINAL RESEARCH **Open access**

An Adaptive Multi-Agent Intelligence Framework for Renewable-Dominant Energy Systems: Coordination, Autonomy, and Resilience

Sofía Martínez[1*], Carlos Gómez[1]

Abstract

Renewable-dominant energy systems are reshaping power-system operation by increasing reliance on variable generation, inverter-based resources, distributed energy assets, storage, flexible demand, and decentralized market participation. These changes challenge conventional centralized control architectures and create a need for adaptive coordination models that can manage local variability while preserving system-wide reliability. This article develops a conceptual adaptive multi-agent intelligence framework for renewable-dominant energy systems, with specific attention to the co-design of coordination, autonomy, and resilience. The framework is developed through conceptual synthesis of multi-agent systems theory, distributed control, resilience engineering, and renewable energy integration challenges. It proposes a layered architecture in which distributed energy agents communicate, negotiate, and coordinate through structured protocols; operate within adjustable autonomy boundaries; and support resilience through fault detection, self-healing, graceful degradation, and adaptive recovery. The framework emphasizes that agent autonomy should not be treated as unrestricted independence, but as a governed and context-dependent property that expands or contracts according to system conditions, decision criticality, operational risk, and human supervisory requirements. It further positions resilience as an embedded architectural function rather than a post-disruption add-on, linking adaptive learning, emergency coordination, cyber-physical safeguards, and human-agent oversight. By integrating these dimensions, the proposed framework provides a theoretical blueprint for governable multi-agent operation in virtual power plants, microgrids, peer-to-peer energy markets, and multi-energy systems. The article contributes a conceptual foundation for future implementation, simulation, regulatory evaluation, and stakeholder validation of adaptive multi-agent intelligence in renewable-dominant grids.

Keywords Smart grids, Multi-agent systems, Renewable-dominant energy systems, Coordination, Autonomy, Adaptive intelligence

*Correspondence:
Sofía Martínez
sofia.martinez@upm.es
[1] Department of AI-Based Load Forecasting and Smart Grids, Faculty of Engineering, Polytechnic University of Madrid, Madrid, Spain

Introduction

Renewable-dominant power systems are increasingly characterized by high penetrations of wind generation, solar photovoltaics, distributed energy resources, storage assets, flexible loads, and power-electronic interfaces. These changes challenge traditional centralized supervisory control and data acquisition architectures because operational decisions must respond to distributed variability, bidirectional power flows, and fast-changing local conditions. Multi-agent systems have therefore been proposed as a promising paradigm for coordinating distributed energy resources, microgrids, and smart-grid functions through autonomous software entities that communicate and negotiate across the

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License (CC BY-NC-SA 4.0), which permits non-commercial use, distribution, reproduction, and adaptation in any medium or format, provided that appropriate credit is given to the original author(s) and source, a link to the license is provided, and any changes made are indicated. Adapted material must be distributed under the same license.

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

system [1]. In renewable-dominant settings, such distributed intelligence could enable more scalable and context-sensitive control than purely centralized coordination models [2].

The central conceptual tension in multi-agent energy systems lies between local autonomy and system-level coordination. Autonomous agents representing generators, batteries, loads, aggregators, substations, or market actors can react quickly to local measurements, but unconstrained local optimization may create voltage deviations, congestion, inefficient market behavior, or instability across interconnected networks [3]. Hierarchical and interoperable multi-agent testbeds show that coordination structures are needed when local decision-making must remain compatible with broader operational constraints [4]. This article therefore treats autonomy not as unrestricted independence but as a governed design property that must be continuously aligned with system reliability and collective objectives.

Resilience is a third dimension that must be embedded directly into multi-agent architectures rather than appended as a post-disruption recovery function. Renewable-dominant grids face compound risks from extreme weather, component failures, cyber-physical attacks, communication disruption, and interactions among inverter-based resources and distributed control systems. Reviews of microgrid resilience emphasize that distributed resources can contribute to service continuity when they support islanding, restoration, and adaptive operation during disturbances [5]. Multi-agent protection and control approaches further suggest that distributed agents may contribute to fault detection, isolation, and self-healing if resilience requirements are built into the control architecture from the outset [6].

This article proposes an adaptive multi-agent intelligence framework for renewable-dominant energy systems that integrates coordination, autonomy, and resilience within a single conceptual architecture. The framework builds on prior work showing that multi-agent systems can support energy integration, distributed dispatch, microgrid control, and smart-grid protection, while also addressing the need for explicit governance of autonomy and disruption response [1]. It conceptualizes renewable-dominant energy operation as a layered architecture in which agents coordinate through structured protocols, operate within adjustable autonomy boundaries, and adapt to faults and uncertainty through resilience-oriented behaviors. The contribution is therefore architectural and theoretical rather than empirical, offering a design blueprint that requires future validation before operational deployment.

Background

Renewable-dominant energy systems: characteristics and challenges

Renewable-dominant energy systems differ from conventional power systems because generation becomes more stochastic, geographically distributed, inverter-mediated, and dependent on weather-driven resource availability. These features increase the difficulty of frequency regulation, voltage management, dispatch, congestion control, and balancing because uncertainty emerges simultaneously at generation, load, network, and market levels. Distributed dispatch studies show that coordination across distributed energy resources must account for communication limitations and network losses rather than assuming perfect centralized observability [3]. In this context, adaptive multi-agent intelligence can be conceptualized as a response to the mismatch between centralized control assumptions and the operational realities of distributed renewable resources.

Multi-agent systems in power and energy applications

Multi-agent systems provide a distributed problem-solving paradigm in which software agents represent physical assets, organizational actors, market participants, or control functions. In energy applications, agents may communicate, negotiate, coordinate schedules, exchange bids, manage local constraints, and produce emergent system behavior through structured interaction rules. Reviews of multi-agent systems in microgrids and energy integration show their relevance for decentralized energy management, resource scheduling, and smart-grid control [7]. Virtual power plant and aggregated distributed energy resource models also rely on agent-like coordination concepts when heterogeneous resources must be combined into system-facing flexibility services [8].

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Autonomy and distributed decision-making in energy agents

Agent autonomy in energy systems can be understood as a spectrum ranging from fully automated local decision-making to supervised autonomy and tightly constrained operator-approved action. Full autonomy may support rapid response to local variability, but constrained autonomy is often necessary when decisions affect protection settings, market commitments, voltage limits, or restoration priorities. Distributed control taxonomies emphasize that decentralized strategies differ in their information requirements, control authority, and reliance on supervisory coordination [2]. The proposed framework therefore treats autonomy as an adjustable design variable whose scope should depend on operational criticality, confidence in agent reasoning, communication conditions, and regulatory acceptability.

Resilience engineering and self-healing power systems

Power system resilience refers to the capacity to anticipate, absorb, adapt to, and recover from disruptions while preserving critical functions. In renewable-dominant systems, resilience cannot depend only on centralized emergency control because failures may be geographically dispersed, communication may degrade, and local resources may need to act before system-wide optimization is restored. Energy system resilience reviews stress the importance of adaptive capacity, redundancy, recovery, and cross-scale coordination in maintaining service continuity [9]. Self-healing active distribution networks similarly illustrate how local reconfiguration and restoration logic could be integrated into agent-based architectures that respond to faults without relying on a single point of control [10].

Adaptive intelligence and learning in multi-agent environments

Adaptive multi-agent intelligence includes reinforcement learning, online learning, game-theoretic coordination, and distributed optimization methods that allow agents to revise strategies as operating conditions change. Renewable-dominant systems require such adaptability because solar output, wind availability, load flexibility, storage state of charge, and market prices evolve continuously. Multi-agent reinforcement learning has been applied conceptually and computationally to home energy management, microgrid markets, and multi-energy coordination, indicating its relevance for adaptive decision-making under uncertainty [11]. In a conceptual framework, however, these learning methods should be treated as candidate mechanisms whose safety, explainability, and resilience implications require careful design before operational use.

Conceptual Foundation of the Framework

Coordination as a design principle

Coordination is the set of protocols, shared objectives, incentive structures, information exchanges, and conflict-resolution mechanisms that align individual agent behavior with system-level requirements. It should not be assumed to emerge automatically from autonomous action, because agents pursuing local economic or technical goals may produce collectively undesirable outcomes under congestion, scarcity, or communication delay. Multi-agent resource allocation and scheduling studies show that coordination mechanisms are central when distributed agents must allocate limited energy resources across competing demands [12]. In the proposed framework, coordination functions as an explicit architectural layer that structures negotiation, consensus, dispatch alignment, and constraint satisfaction across renewable-dominant systems.

Balancing autonomy and system-level constraints

Autonomy should be conceptualized as a graduated and conditional property rather than a binary distinction between manual and automated operation. Under normal conditions, agents may be allowed to optimize local storage charging, flexible load scheduling, or peer-to-peer trading, while under stressed conditions their autonomy may need to narrow in favor of protection constraints, operator intervention, or emergency coordination. Real-time multi-agent interoperability

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

work demonstrates that agent decisions require structured interfaces across hierarchical control levels when microgrid actions interact with wider system operation [4]. The framework therefore proposes adaptive autonomy boundaries that expand or contract according to system state, decision criticality, trust in agent models, and the availability of human supervision.

Resilience as an emergent and designed property

Resilience in multi-agent energy systems is both emergent and designed: it emerges from local agent capabilities but depends on architectural choices that determine redundancy, diversity, information sharing, and restoration authority. Agents may detect anomalies locally, communicate degraded conditions, isolate faults, and coordinate reconfiguration, but these behaviors must be governed by shared protocols to avoid conflicting restoration actions. Reviews of modern power system resilience emphasize that resilience depends on preparedness, absorption, recovery, and adaptation across technical and organizational layers [13]. In the proposed framework, resilience is not a separate module but a cross-cutting design property embedded into coordination protocols, autonomy rules, and adaptive learning processes.

Framework Components

Coordination layer

The coordination layer provides the mechanisms through which agents negotiate, exchange information, allocate resources, resolve conflicts, and align local actions with system-wide objectives. It may include consensus procedures, auction-based allocation, contract-net negotiation, distributed optimization, transactive coordination, and scheduling protocols that support agreement on power setpoints, flexibility provision, congestion management, and market participation. Transactive energy research shows that distributed coordination can enable energy exchange among heterogeneous actors, but it requires clear market rules and communication structures to avoid fragmented decision-making [14]. Within the framework, this layer serves as the connective tissue that prevents agent autonomy from becoming operationally incoherent.

Autonomy management layer

The autonomy management layer defines what each agent is permitted to decide, under which conditions decisions may be executed, when human approval is required, and when supervisory override should occur. This layer includes decision scopes, authorization levels, safety envelopes, explainability interfaces, fallback modes, and policy constraints that prevent autonomous actions from violating reliability or regulatory requirements. Home energy management and distributed energy management studies suggest that agents can optimize local decisions, but those decisions must remain compatible with network and system constraints [11]. The framework therefore positions autonomy management as a governance-sensitive layer that translates technical intelligence into accountable operational authority.

Table 1 defines the architectural logic of the proposed framework by distinguishing the coordination, autonomy, resilience, supervisory, and governance functions required for adaptive multi-agent operation.

Table 1. Architectural Logic of the Adaptive Multi-Agent Intelligence Framework

Framework layer	Core design purpose	Representative agent functions	Key coordination problem addressed	Autonomy boundary	Resilience contribution	Governance requirement
Coordination Layer	Align distributed agent actions	Negotiation, consensus, distributed	Prevents fragmented local decisions	Agents may propose or negotiate	Enables collective response when	Requires interoperable communication

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

	with system-level objectives without requiring full centralization	scheduling, flexibility allocation, congestion coordination, market clearing support	from creating network instability, inefficient dispatch, or conflicting resource commitments	actions, but coordinated commitments must respect network, market, and reliability constraints	local actions must be synchronized during congestion, scarcity, or disturbance	protocols, transparent coordination rules, and auditable decision exchanges
Autonomy Management Layer	Define when, where, and how agents may act independently	Decision-scope assignment, authorization levels, safety envelopes, override triggers, human-supervisory interfaces	Prevents uncontrolled autonomy from violating operational limits, protection logic, or regulatory obligations	Autonomy expands during routine low-risk operation and contracts during high-risk, uncertain, or emergency states	Limits unsafe autonomous action during stress and allows supervisory intervention when agent confidence is insufficient	Requires liability rules, certification of agent functions, explainability interfaces, and operator control rights
Resilience and Adaptation Layer	Maintain critical functions during faults, uncertainty, cyber-physical disruption, and communication degradation	Fault detection, anomaly isolation, feeder reconfiguration, islanding coordination, graceful degradation, adaptive learning	Prevents local disturbances from propagating into wider service disruption or cascading failure	Agents may initiate resilience actions only within predefined emergency authority and restoration rules	Supports self-healing, service continuity, critical-load protection, and adaptive recovery	Requires cybersecurity safeguards, restoration priorities, emergency protocols, and post-event auditability
Human-Agent Supervisory Interface	Preserve meaningful human control over safety-critical autonomous energy decisions	Situation awareness, manual override, policy tuning, emergency approval, operator review of agent recommendations	Prevents technical autonomy from becoming institutionally unaccountable or operationally opaque	Human operators define, adjust, suspend, or revoke agent autonomy based on system state and governance requirements	Supports safe escalation during abnormal conditions and ensures recovery decisions remain accountable	Requires clear operator authority, usable explanations, traceable decision logs, and training for human-agent collaboration
Cross-System Governance Foundation	Ensure that multi-agent intelligence remains interoperable, accountable, secure, and	Agent certification, audit trails, data-sharing rules, interoperability standards, cybersecurity requirements,	Prevents vendor fragmentation, opaque decision-making, and inconsistent	Agent autonomy is conditional on compliance with technical, legal, and	Strengthens resilience by ensuring trusted communication, reliable participation, and coordinated	Requires regulatory alignment, multi-stakeholder governance, open

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

	institutionally adoptable	stakeholder validation	multi-stakeholder coordination	institutional rules	emergency procedures	standards, and validation pathways

Resilience and adaptation layer

The resilience and adaptation layer equips agents with the ability to detect disturbances, assess degraded operating states, coordinate reconfiguration, support islanding, and maintain critical functions during disruption. It operates in concert with the coordination layer because resilience actions such as feeder reconfiguration, load prioritization, storage dispatch, and island formation require agreement among agents whose local objectives may differ. Microgrid resilience research shows that distributed resources may become resilience assets when they are coordinated to sustain essential loads and recover from disruptions [5]. In this framework, adaptation is not limited to learning improved economic strategies but includes the capacity to modify coordination patterns and autonomy boundaries under stress.

Figure 1 illustrates the proposed adaptive multi-agent intelligence framework, showing how distributed energy agents interact through coordination, autonomy management, and resilience-adaptation layers to support governable operation in renewable-dominant energy systems.




Figure 1. Adaptive Multi-Agent Intelligence Framework for Renewable-Dominant Energy Systems: Coordination, Autonomy, and Resilience

Coordination, Autonomy, and Adaptive Intelligence

Multi-agent negotiation and consensus protocols

Multi-agent negotiation and consensus protocols are needed when distributed resources must coordinate without relying on a fully centralized controller. Contract-net mechanisms can allocate tasks among agents, auction-based methods can support flexibility procurement, ADMM-based coordination can decompose optimization across distributed actors, and blockchain-mediated arrangements may support verifiable agreements in peer-to-peer or transactive contexts. Decentralized transactive energy management based on distributed optimization illustrates how multi-microgrid systems can coordinate through structured decomposition rather than centralized command [15]. In the proposed framework, such protocols are conceptualized as coordination instruments whose suitability depends on latency tolerance, observability, market design, cyber-security requirements, and the criticality of the decision being coordinated.

Adaptive learning under renewable variability

Adaptive learning allows agents to revise decisions as renewable generation, storage availability, demand flexibility, network constraints, and market conditions change over time. Multi-agent deep reinforcement learning has been explored

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

for microgrid market coordination and distributed energy management, indicating that learning agents may support adaptive strategies in uncertain environments [16]. Similar approaches in multi-energy industrial parks and interconnected multi-energy microgrids suggest that adaptive learning could be relevant where multiple assets, carriers, and objectives interact dynamically [17]. In this article, such learning is treated conceptually as a capability that should be bounded by safety constraints, explainability requirements, and resilience safeguards rather than deployed as unrestricted self-optimization.

Table 2 summarizes the major adaptive intelligence capabilities, operational functions, and governance constraints associated with multi-agent renewable energy coordination.

Table 2. Adaptive Intelligence Functions and Governance Constraints in Renewable-Dominant Multi-Agent Energy Systems

Adaptive intelligence capability	Operational purpose	Representative agent activity	Potential system risk	Required governance or resilience safeguard
Distributed reinforcement learning	Continuously improve decentralized decision-making under renewable variability	Dynamic storage dispatch and flexible-load scheduling	Unpredictable policy adaptation and unstable coordination	Safety-constrained learning boundaries and supervisory override
Consensus-based coordination	Align distributed agent decisions without full centralization	Voltage support and congestion coordination	Communication latency and inconsistent state awareness	Fault-tolerant consensus protocols and interoperability standards
Autonomous negotiation	Enable local energy exchange and flexibility allocation	Peer-to-peer trading and demand-response negotiation	Market manipulation or conflicting commitments	Auditable transaction rules and transparent pricing mechanisms
Self-healing response	Maintain service continuity during disruptions	Fault isolation and feeder reconfiguration	Cascading restoration conflicts	Shared emergency protocols and restoration hierarchies
Predictive adaptation	Anticipate renewable variability and operational stress	Forecast-guided dispatch and adaptive reserve allocation	Forecast uncertainty and over-optimization	Human validation and resilience-oriented fallback modes
Human-agent supervisory interaction	Preserve accountability in autonomous operation	Manual override and policy adjustment	Reduced operator situational awareness	Explainable agent reasoning and operator-centered interfaces

Human-agent interaction and supervisory control

Human-agent interaction is essential because renewable-dominant energy systems involve safety-critical infrastructure, regulatory obligations, and social consequences that cannot be delegated entirely to autonomous software agents. Operators should be able to observe agent recommendations, understand the basis for coordinated actions, modify autonomy parameters, trigger manual override, and adjust policy constraints after abnormal events. Multi-agent smart-grid reviews show that agent communication and coordination are central technical capabilities, but operational adoption

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

also depends on interoperability, trust, and supervisory integration [18]. The proposed framework therefore includes human oversight as a supervisory interface across coordination, autonomy, and resilience layers, ensuring that adaptive intelligence remains governable during both routine and emergency operation.

Resilience and Robustness in Multi-Agent Architectures

Distributed fault detection and self-healing mechanisms

Distributed fault detection in a multi-agent architecture can be conceptualized as a collaborative process in which feeder agents, inverter agents, storage agents, protection agents, and load agents exchange local observations to infer abnormal system states. Multi-agent protection studies suggest that distributed agents may support faster localization of faults and more adaptive protection responses when conventional centralized protection logic becomes insufficient for active distribution networks [6]. A self-healing architecture would allow agents to coordinate feeder reconfiguration, island formation, critical-load prioritization, and staged restoration without depending entirely on a central controller. However, these actions must be governed by shared constraints so that local restorative actions do not create unintended overloads, unsafe islanding, or conflicting restoration sequences.

Redundancy, diversity, and graceful degradation

Resilience in adaptive multi-agent systems depends not only on rapid fault response but also on architectural redundancy, agent diversity, and graceful degradation. A system with redundant agents representing similar functional capabilities could continue operating when one agent fails, while functional diversity across storage, demand response, distributed generation, and network-switching agents may expand the range of available recovery actions. Reviews of microgrid energy management highlight that multi-agent architectures can distribute decision responsibilities across heterogeneous assets, but this heterogeneity must be coordinated to avoid fragmented behavior [19]. Graceful degradation should therefore be designed as a controlled reduction in service quality that preserves critical functions, rather than as uncontrolled collapse when communication, generation, or control resources become limited.

Cyber-physical resilience in multi-agent energy systems

Agent-based control creates new cyber-physical resilience challenges because malicious actors could compromise agent messages, manipulate local measurements, inject false bids, disrupt communication, or alter distributed decision rules. Cyber-physical resilience therefore requires authentication, encrypted communication, anomaly detection, reputation mechanisms, and fault-tolerant consensus protocols that can distinguish unreliable agents from trustworthy participants. Smart-grid protection and multi-agent control research indicates that agent coordination must be secured because the same communication pathways that enable distributed intelligence can become attack surfaces [6]. In this framework, cyber resilience is treated as a design condition for autonomy: agents should gain decision authority only when their identity, data integrity, and behavioral reliability can be reasonably trusted.

Resilience metrics and operational performance under stress

Although this article does not report empirical metrics, the conceptual framework requires evaluation concepts that could later be operationalized in validation studies. Resilience may be assessed through recovery time, preservation of critical functionality, adaptive capacity, service continuity, controllability under degraded communication, and the ability to reconfigure without violating safety constraints. Energy system resilience reviews emphasize that resilience evaluation should include absorption, recovery, adaptation, and long-term learning rather than only immediate technical restoration [9]. Within the proposed architecture, such metrics could function as feedback signals that guide agent learning, autonomy adjustment, and policy refinement under stressed operating conditions.

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Application Domains in Renewable-Dominant Energy Systems

Virtual power plants and aggregated distributed energy resources

Virtual power plants are a natural application domain for adaptive multi-agent intelligence because they aggregate rooftop solar, batteries, electric vehicles, controllable loads, and small generators into coordinated flexibility portfolios. Agent-based virtual power plant coordination can allow distributed resources to retain local objectives while contributing to system-level services such as balancing, congestion management, and reserve provision. Reviews of virtual power plant models show that aggregation requires coordination across technical assets, market participation structures, and operational constraints [8]. In the proposed framework, the virtual power plant becomes a layered agent ecology in which prosumer agents, aggregator agents, market agents, and system operator interfaces negotiate flexibility while preserving resilience and human-governable autonomy.

Microgrid coordination, islanding, and resilient community energy

Microgrids require coordination among distributed generators, storage devices, controllable loads, and network interfaces, making them highly compatible with multi-agent architectural design. Cooperative control and multi-agent reinforcement learning approaches have been explored for microgrid voltage control and energy management, suggesting that autonomous agents could support coordinated operation across local energy assets [20]. During disturbances, a multi-agent microgrid framework could enable islanding, load prioritization, storage dispatch, and resynchronization through structured interaction among agents rather than through a single central controller. However, resilient community energy applications require safeguards to ensure that autonomous decisions remain aligned with equity, critical-service protection, and operator-approved restoration priorities.

Peer-to-peer energy trading and autonomous market agents

Peer-to-peer energy trading provides a market-oriented domain in which household, community, storage, and aggregator agents could negotiate energy exchanges while responding to real-time renewable generation and demand conditions. Peer-to-peer smart-home trading models show how distributed participants may exchange energy through local coordination mechanisms, but such systems require rules for pricing, settlement, network constraints, and participant protection [21]. Broader reviews of peer-to-peer energy trading emphasize that market design, platform governance, and technical integration remain central challenges for practical deployment [22]. In the proposed framework, autonomous market agents should therefore operate within constrained autonomy boundaries that prevent economically rational trades from undermining grid reliability, fairness, or resilience.

Multi-energy systems and sector-coupled coordination

Renewable-dominant energy systems increasingly interact with heat, transport, gas, hydrogen, and industrial energy processes, creating a multi-energy coordination problem that extends beyond electricity alone. Agent-based methods have been applied conceptually across multi-energy systems, where agents may represent coupled infrastructures, conversion technologies, storage assets, and end-use sectors [23]. Multi-agent reinforcement learning for multi-energy microgrids and industrial parks further suggests that adaptive coordination may help manage cross-vector flexibility under uncertainty [24]. In this framework, sector-coupled coordination requires agents to consider not only electrical constraints but also temporal storage dynamics, conversion losses, infrastructure dependencies, and cross-sector resilience consequences.

Governance Integration and Policy Implications

Regulatory frameworks for autonomous energy agents

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Autonomous energy agents raise governance questions about certification, accountability, liability, transparency, and the acceptable scope of machine-initiated action in critical infrastructure. Regulators may need to define which agent functions require pre-approval, how decision logs should be audited, who is responsible for harmful autonomous actions, and when human override must remain mandatory. Reviews of peer-to-peer kilowatt and negawatt trading show that distributed energy transactions require governance structures that address participation rules, network impacts, and consumer protection [25]. The proposed framework therefore positions regulation not as an external constraint but as part of the autonomy management layer that determines how intelligent agents are authorized to act.

Interoperability standards and multi-stakeholder coordination

Interoperability is essential because renewable-dominant systems involve heterogeneous agents owned by utilities, aggregators, prosumers, microgrid operators, technology vendors, and market platforms. Multi-agent systems for smart grids require shared communication protocols, semantic models, cybersecurity requirements, and coordination interfaces so that agents can exchange reliable information without creating vendor lock-in or unsafe operational fragmentation [18]. Resource allocation and scheduling research similarly indicates that distributed agents need compatible coordination structures when they act across shared grid resources [26]. Policy can support safe multi-stakeholder coordination by mandating open interfaces, auditability, data governance provisions, and minimum reliability requirements for agent-based energy systems.

Recent research further reinforces the importance of combining interoperability, resilience, and decentralized coordination within renewable-dominant energy systems. A multi-agent redispatch architecture proposed by Heess *et al*. demonstrated how decentralized flexibility coordination can preserve both operational scalability and data sovereignty through verifiable agent communication mechanisms [27]. Real-world deployment studies of renewable energy community management systems also indicate that multi-agent coordination can support distributed energy sharing and adaptive resource balancing beyond simulation-only environments [28]. In parallel, resilience-oriented planning research for interconnected microgrids highlights that peer-to-peer coordination and distributed decision-making become increasingly important under extreme-event conditions, particularly when renewable intermittency and communication uncertainty interact simultaneously [29].

Table 3 consolidates the major design trade-offs created by adaptive multi-agent intelligence and identifies safeguards needed to prevent autonomy, learning, and decentralization from undermining reliability or resilience.

Table 3. Conceptual Trade-Offs and Design Safeguards in Adaptive Multi-Agent Energy Systems

Design tension	Why the tension emerges in renewable-dominant systems	Risk if unmanaged	Framework response	Practical design safeguard	Implication for future validation
Local autonomy vs system-level reliability	Distributed agents respond to local generation, load, storage, or market conditions, while the grid must maintain shared voltage, frequency, and congestion limits	Locally rational actions may create instability, congestion, protection miscoordination, or conflicting dispatch decisions	Autonomy is treated as bounded, conditional, and adjustable rather than absolute	Define safety envelopes, override conditions, and operating-state-dependent autonomy levels	Validation should test whether autonomy boundaries remain safe under normal, stressed, and degraded operating states

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Decentralized coordination vs communication burden	Coordination among many heterogeneous agents requires message exchange, shared state information, and protocol compatibility	Excessive communication may cause latency, congestion, decision delays, or failure under degraded networks	Coordination protocols are selected according to latency tolerance, criticality, and information requirements	Use tiered communication, local fallback rules, and minimal sufficient information exchange	Future work should assess communication robustness and decision quality under partial observability
Adaptive learning vs operational predictability	Learning agents may revise strategies as renewable output, demand behavior, and market conditions change	Unconstrained adaptation may reduce transparency, create unexpected actions, or violate operator expectations	Learning is embedded within safety, explainability, and supervisory constraints	Require explainable learning policies, confidence thresholds, and post-decision audit logs	Validation should examine whether adaptive behavior remains interpretable and controllable during changing conditions
Market efficiency vs grid resilience	Agents in peer-to-peer markets or virtual power plants may optimize price, flexibility revenue, or local benefit	Market-oriented behavior may conflict with emergency restoration, critical-load protection, or network constraints	Market agents operate within resilience-aware coordination and autonomy boundaries	Embed network constraints, emergency priority rules, and suspension triggers into market protocols	Future testing should examine whether market coordination can be safely constrained during disruption
Agent redundancy vs coordination complexity	Redundant and diverse agents improve fault tolerance but increase the number of interacting decision-makers	More agents may produce conflicting recommendations, duplicated actions, or coordination overhead	Redundancy is paired with role clarity, consensus rules, and authority hierarchies	Define functional roles, backup responsibilities, and conflict-resolution protocols	Validation should assess whether redundancy improves resilience without producing excessive complexity
Human oversight vs real-time autonomy	Operators need control over safety-critical systems, but fast renewable variability may require rapid autonomous action	Excessive human approval may slow response, while excessive automation may reduce accountability	Supervisory control is designed as adjustable oversight rather than continuous manual approval	Use tiered approval: routine autonomous actions, monitored high-impact actions, and mandatory approval for emergency authority changes	Future research should evaluate operator workload, trust, and decision interpretability

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Interoperability vs vendor-specific optimization	Agents may be developed by utilities, aggregators, vendors, markets, or prosumers using different technical standards	Fragmented systems may fail to coordinate safely or may create lock-in and unequal participation	Governance foundation requires shared protocols, semantic compatibility, and auditable interfaces	Mandate open standards, certification tests, and common data-exchange formats	Validation should examine cross-vendor agent coordination and governance compliance
Cybersecurity vs distributed openness	Multi-agent systems depend on communication, data sharing, and distributed control authority	False data injection, identity spoofing, compromised agents, or communication jamming could undermine coordinated operation	Cyber-physical resilience is treated as a precondition for agent autonomy	Use authentication, encrypted messaging, anomaly detection, reputation systems, and degraded-mode operation	Future work should test agent behavior under compromised communication and adversarial data conditions

Evaluation Strategy for The Conceptual Framework

Conceptual coherence and alignment with engineering theory

The proposed framework should first be evaluated for conceptual coherence, including whether the coordination, autonomy, and resilience layers are clearly differentiated while remaining logically interconnected. Its grounding in multi-agent systems, distributed control, transactive coordination, and resilience engineering should be assessed against established smart-grid design challenges rather than judged by premature performance claims. Comprehensive reviews of multi-agent systems in smart grids provide a basis for examining whether the framework captures core agent functions such as communication, negotiation, local control, and system-level coordination [18]. Conceptual evaluation should therefore ask whether each layer has a defined purpose, whether interfaces between layers are explicit, and whether the framework avoids contradictions between autonomous behavior and reliability requirements.

Stakeholder relevance and design workshop validation

Because this framework is conceptual, future validation should include expert elicitation, utility workshops, regulatory sandboxes, and multi-stakeholder co-design exercises rather than unsupported claims of operational performance. Stakeholders could examine whether the architecture addresses practical concerns such as operator trust, prosumer participation, cybersecurity, market compatibility, and emergency control responsibilities. Multi-agent hierarchical reinforcement learning and deep reinforcement learning studies show that adaptive intelligence can support energy management, but stakeholder review is needed before such capabilities are considered acceptable in safety-critical energy contexts [30]. Design-based validation would therefore test whether the framework is understandable, governable, and institutionally plausible without presenting the workshop process as empirical evidence in this article.

Scalability and transferability across system scales

A key evaluation question is whether the framework can scale from a single building, home energy management platform, or microgrid to a virtual power plant, regional distribution system, or national renewable-dominant grid. Distributed energy management research indicates that agent coordination can be conceptualized across homes, microgrids, and multi-energy systems, but the communication, governance, and optimization burden changes substantially as system scale increases [31]. Transferability also depends on market design, regulatory authority, infrastructure maturity, cyber-security

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

capacity, and the degree of distributed energy resource penetration. The framework should therefore be assessed as a scalable architectural logic rather than a universally fixed implementation model. Recent implementation-oriented research strengthens the need to evaluate adaptive multi-agent energy frameworks across both simulated and real operating environments. Recent surveys confirm that multi-agent systems remain central to smart-grid coordination because they support distributed reasoning under renewable intermittency, heterogeneous assets, cyber-physical uncertainty, and resilience requirements [32]. In smart communities and energy communities, multi-agent reinforcement learning and Q-learning approaches have been used to reduce communication burdens, preserve local decision-making, coordinate distributed renewable energy resources, and manage shared storage or surplus energy in more scalable ways [33, 34]. Hybrid renewable systems for rural communities further show that multi-agent architectures can coordinate photovoltaic generation, wind generation, batteries, hydrogen storage, and electric vehicle batteries to improve reliability under variable renewable supply [35]. Importantly, recent real-world deployment of a multi-agent community energy management system in a renewable energy community demonstrates that agent-based coordination is moving beyond simulation-only validation toward practical operation [36]. Networked microgrid studies also show that peer-to-peer trading, strategic pricing, and multi-agent reinforcement learning can support autonomous local balancing while still requiring higher-level coordination across microgrid clusters [37]. Finally, resilience-oriented planning for microgrid clusters indicates that multi-agent peer-to-peer energy trading must be evaluated not only for economic efficiency but also for performance during extreme events and contingency conditions [38]. Therefore, future validation of the proposed framework should test scalability, privacy, resilience, real-time coordination, and human-governable autonomy across smart homes, energy communities, networked microgrids, virtual power plants, and renewable-dominant regional grids.

Table 4 presents a comparative view of how the proposed framework scales across different renewable-dominant energy system contexts.

Table 4. Scalability Characteristics of Adaptive Multi-Agent Intelligence Across Energy-System Contexts

Deployment context	Typical distributed assets	Coordination complexity	Primary resilience concern	Dominant governance requirement
Smart home energy management	Rooftop PV, batteries, flexible appliances	Low	Device failure and local communication disruption	Consumer privacy and explainability
Community microgrid	Distributed generation, storage, controllable loads	Moderate	Islanding stability and restoration sequencing	Community participation and operator supervision
Virtual power plant	Aggregated distributed energy resources across regions	High	Coordination failure during market and grid stress	Market transparency and interoperability compliance
Multi-microgrid ecosystem	Interconnected microgrids with peer-to-peer trading	Very high	Cascading disturbances and cyber-physical disruption	Cross-operator coordination and cybersecurity governance
Renewable-dominant regional grid	Utility-scale renewables, distributed assets, flexible demand	Extreme	System-wide instability and degraded communication	Regulatory alignment and critical-infrastructure accountability

Limitations

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Conceptual abstraction and lack of empirical validation

The framework remains a high-level conceptual architecture and has not been implemented in software, hardware-in-the-loop environments, real distribution networks, market platforms, or field pilots. Although multi-agent reinforcement learning and distributed control studies provide candidate mechanisms for future instantiation, this article does not claim that any specific algorithm would achieve reliable operational performance in renewable-dominant systems [39]. The absence of empirical validation means that the framework should be treated as a theory-building contribution rather than as a deployment-ready control solution. Future work must translate the architecture into testable specifications, evaluate safety under realistic scenarios, and examine whether the framework can withstand cyber-physical disturbances and institutional constraints.

Computational, communication, and institutional feasibility

The feasibility of adaptive multi-agent intelligence depends on computational capacity, communication reliability, cybersecurity maturity, regulatory acceptance, and organizational willingness to delegate limited authority to autonomous agents. Real-time negotiation, distributed optimization, learning-based adaptation, and resilience coordination may impose overheads that become significant during emergencies or under degraded communication conditions. Multi-agent energy management studies show conceptual promise across microgrids, virtual power plants, and multi-energy systems, but they also imply the need for careful design of communication structures, decision timing, and supervisory interfaces [1]. Institutional feasibility may ultimately be as important as technical feasibility, because utilities, regulators, market operators, and communities must trust the architecture before autonomous coordination can become part of routine energy-system operation.

Conclusion

This article developed an adaptive multi-agent intelligence framework for renewable-dominant energy systems that integrates coordination, autonomy, and resilience into a unified conceptual architecture. The framework responds to the operational complexity created by distributed renewable generation, inverter-based resources, flexible demand, storage, and increasingly decentralized energy markets. Its central contribution is the conceptual organization of multi-agent intelligence into coordination, autonomy management, and resilience-adaptation layers that operate together rather than as separate design concerns.

The framework emphasizes that coordination, autonomy, and resilience should be co-designed rather than optimized independently. Coordination without autonomy could reproduce centralized rigidity, autonomy without coordination could undermine system stability, and resilience without adaptive intelligence could remain reactive rather than anticipatory. By linking these dimensions, the framework provides a blueprint for renewable-dominant systems that need to remain scalable, responsive, robust, and human-governable.

The framework may guide future design of virtual power plants, microgrids, peer-to-peer energy markets, and multi-energy systems. In each domain, autonomous agents could represent distributed assets and actors while remaining subject to coordination protocols, autonomy boundaries, and resilience safeguards. This approach offers a way to conceptualize intelligent energy systems that are not merely automated, but also adaptive, accountable, and capable of maintaining essential functions under stress.

Future research should move from conceptual architecture toward implementation-oriented inquiry through interdisciplinary engineering, governance, and stakeholder collaboration. Regulatory experimentation, co-design with system operators, cyber-physical validation, and transparent human-agent interfaces will be necessary to bridge the gap between theoretical promise and operational reality. The long-term value of adaptive multi-agent intelligence will depend not only on algorithmic sophistication but also on whether it can be embedded safely, fairly, and resiliently within real renewable-dominant energy systems.

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

Acknowledgements

None

Conflict of interest

None

Financial support

None

Ethics statement

None

Received: 09 Aug 2022 Revised: 14 Oct 2022 Accepted: 31 Oct 2022
Published online: 15 June 2023

Rights and permissions

Open Access The author(s) retain copyright. This article is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. It may be shared and adapted for non-commercial purposes with appropriate attribution, an indication of changes, and distribution of adaptations under the same license. Third-party material may be subject to separate terms identified in its credit line. View the license at https://creativecommons.org/licenses/by-nc-sa/4.0/.

References

1. Coelho VN, Cohen MW, Coelho IM, Liu N, Guimarães FG. Multi-agent systems applied for energy systems integration: state-of-the-art applications and trends in microgrids. Appl Energy. 2017;187:820-32.

2. Han X, Heussen K, Gehrke O, Bindner HW, Kroposki B. Taxonomy for evaluation of distributed control strategies for distributed energy resources. IEEE Trans Smart Grid. 2017;9(5):5185-95.

3. Wu J, Yang T, Wu D, Kalsi K, Johansson KH. Distributed optimal dispatch of distributed energy resources over lossy communication networks. IEEE Trans Smart Grid. 2017;8(6):3125-37.

4. Beus M, Banis F, Pandžić H, Poulsen NK. Three-level hierarchical microgrid control—model development and laboratory implementation. Electr Power Syst Res. 2020;189:106758.

5. Hussain A, Bui VH, Kim HM. Microgrids as a resilience resource and strategies used by microgrids for enhancing resilience. Appl Energy. 2019;240:56-72.

6. Shobole AA, Wadi M. Multiagent systems application for the smart grid protection. Renew Sustain Energy Rev. 2021;149:111352.

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

7. Tazi K, Abbou FM, Abdi F. Multi-agent system for microgrids: design, optimization and performance. Artif Intell Rev. 2020;53(2):1233.

8. Naval N, Yusta JM. Virtual power plant models and electricity markets: A review. Renew Sustain Energy Rev. 2021;149:111393.

9. Jasiūnas J, Lund PD, Mikkola J. Energy system resilience: A review. Renew Sustain Energy Rev. 2021;150:111476.

10. Zadsar M, Haghifam MR, Miri Larimi SM. Approach for self-healing resilient operation of active distribution network with microgrid. IET Gener Transm Distrib. 2017;11(18):4633-43.

11. Xu X, Jia Y, Xu Y, Xu Z, Chai S, Lai CS, et al. A multi-agent reinforcement learning-based data-driven method for home energy management. IEEE Trans Smart Grid. 2020;11(4):3201-11.

12. Nair AS, Hossen T, Campion M, Selvaraj DF, Goveas N, Kaabouch N, et al. Multi-agent systems for resource allocation and scheduling in a smart grid. Technol Econ Smart Grids Sustain Energy. 2018;3(1):15.

13. Younesi A, Shayeghi H, Wang Z, Siano P, Mehrizi-Sani A, Safari A. Trends in modern power systems resilience: State-of-the-art review. Renew Sustain Energy Rev. 2022;162:112397.

14. Huang Q, Amin W, Umer K, Gooi HB, Eddy FY, Afzal M, et al. A review of transactive energy systems: Concept and implementation. Energy Rep. 2021;7:7804-24.

15. Rajaei A, Fattaheian-Dehkordi S, Fotuhi-Firuzabad M, Moeini-Aghtaie M. Decentralized transactive energy management of multi-microgrid distribution systems based on ADMM. Int J Electr Power Energy Syst. 2021;132:107126.

16. Fang X, Zhao Q, Wang J, Han Y, Li Y. Multi-agent deep reinforcement learning for distributed energy management and strategy optimization of microgrid market. Sustain Cities Soc. 2021;74:103163.

17. Zhu D, Yang B, Liu Y, Wang Z, Ma K, Guan X. Energy management based on multi-agent deep reinforcement learning for a multi-energy industrial park. Appl Energy. 2022;311:118636.

18. Mahela OP, Khosravy M, Gupta N, Khan B, Alhelou HH, Mahla R, et al. Comprehensive overview of multi-agent systems for controlling smart grids. CSEE J Power Energy Syst. 2022;8(1):115-31.

19. Priyadarshana HV, Sandaru MK, Hemapala KT, Wijayapala WD. A review on multi-agent system based energy management systems for micro grids. AIMS Energy. 2019;7(6):924.

20. Wang T, Ma S, Tang Z, Xiang T, Mu C, Jin Y. A multi-agent reinforcement learning method for cooperative secondary voltage control of microgrids. Energies. 2023;16(15):5653.

21. Alam MR, St-Hilaire M, Kunz T. Peer-to-peer energy trading among smart homes. Appl Energy. 2019;238:1434-43.

22. Soto EA, Bosman LB, Wollega E, Leon-Salas WD. Peer-to-peer energy trading: A review of the literature. Appl Energy. 2021;283:116268.

23. Yao R, Hu Y, Varga L. Applications of agent-based methods in multi-energy systems: A systematic literature review. Energies. 2023;16(5):2456.

24. Zhang B, Hu W, Ghias AM, Xu X, Chen Z. Multi-agent deep reinforcement learning based distributed control architecture for interconnected multi-energy microgrid energy management and optimization. Energy Convers Manag. 2023;277:116647.

25. Azim MI, Tushar W, Saha TK, Yuen C, Smith D. Peer-to-peer kilowatt and negawatt trading: A review of challenges and recent advances in distribution networks. Renew Sustain Energy Rev. 2022;169:112908.

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press

26. Binyamin SS, Ben Slama S. Multi-agent systems for resource allocation and scheduling in a smart grid. Sensors. 2022;22(21):8099.

27. Gao H, Liu J, Wang L, Wei Z. Decentralized energy management for networked microgrids in future distribution systems. IEEE Trans Power Syst. 2017;33(4):3599-610.

28. Qazi A, Hussain F, Rahim NA, Hardaker G, Alghazzawi D, Shaban K, et al. Towards sustainable energy: A systematic review of renewable energy sources, technologies, and public opinions. IEEE Access. 2019;7:63837-51.

29. Cao S, Zhang H, Cao K, Chen M, Wu Y, Zhou S. Day-ahead economic optimal dispatch of microgrid cluster considering shared energy storage system and P2P transaction. Front Energy Res. 2021;9:645017.

30. Jendoubi I, Bouffard F. Multi-agent hierarchical reinforcement learning for energy management. Appl Energy. 2023;332:120500.

31. Monfaredi F, Shayeghi H, Siano P. Multi-agent deep reinforcement learning-based optimal energy management for grid-connected multiple energy carrier microgrids. Int J Electr Power Energy Syst. 2023;153:109292.

32. Izmirlioglu Y, Pham L, Son TC, Pontelli E. A survey of multi-agent systems for smartgrids. Energies. 2024;17(15):3620.

33. Wilk P, Wang N, Li J. Multi-agent reinforcement learning for smart community energy management. Energies. 2024;17(20):5211.

34. Tortorelli A, Sabina G, Marchetti B. A cooperative multi-agent Q-learning control framework for real-time energy management in energy communities. Energies. 2024;17(20):5199.

35. Ali ES, Elkholy MH, Senjyu T, Abd Elazim SM, Hassan ES, Alaas Z, et al. A flexible multi-agent system for managing demand and variability in hybrid energy systems for rural communities. Sci Rep. 2025;15:16255.

36. Patrício JT, Lopes T, Rocha A, Martins J, Lopes RA. Development and real-world deployment of a multi-agent system to support the operation of renewable energy communities. Energy Rep. 2025. https://doi.org/10.1016/j.egyr.2025.108967.

37. Ahsan SM, Gholizadeh N, Musilek P. Multi-agent systems in networked microgrids: Reinforcement learning and strategic pricing mechanisms. Renew Energy. 2025;254:123678.

38. Xu Z, Chen Y, Sang L, Qiu H, Wu Z, Ye H. Resilience-oriented planning for microgrid clusters considering P2P energy trading and extreme events. Appl Energy. 2025;388:125560.

39. Qiu D, Chen T, Strbac G, Bu S. Coordination for multienergy microgrids using multiagent reinforcement learning. IEEE Trans Ind Inform. 2023;19(4):5689-700.

© 2023 The Author(s). | Published by Institute of Smart Energy Systems Press